
in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

### **Developer series AR 300-40**

Material number AR 300-40



# 1. Product and company identification

#### **Product identifier**

Trade name: Developer series AR 300-40

#### Relevant identified uses of the substance or mixture and uses advised against

General use: Intermediate for electronic industry

#### Details of the supplier of the safety data sheet

Company name: Allresist

Gesellschaft für chemische Produkte zur Mikrostrukturierung mbH

Street/POB-No.: Am Biotop 14
Postal Code, city: 15344 Strausberg

Germany

 WWW:
 www.allresist.de

 E-mail:
 info@allresist.de

 Telephone:
 +49 (0)33 41-35 93-0

 Telefax:
 +49 (0)33 41-35 93-29

Dept. responsible for information:

Frau Feldt, Email: doerte.feldt@allresist.de

#### **Emergency phone number**

Telephone: +49 (0)33 41-35 93-0

## 2. Hazards identification

#### **Emergency overview**

Appearance: Form: liquid

Color: colorless weak amine odor

Classification: Corrosive to Metals - Category 1; Acute Toxicity - oral - Category 4; Acute Toxicity -

dermal - Category 4; Skin Corrosion - Category 1B;

Specific Target Organ Toxicity (Single Exposure) - Category 2; Specific Target Organ Toxicity (Repeated Exposure) - Category 2;

Hazard symbols:

Odor:







Signal word: Danger

Hazard statements: May be corrosive to metals.

Harmful if swallowed. Harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause damage to organs.

May cause damage to organs through prolonged or repeated exposure.

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

### **Developer series AR 300-40**

Material number AR 300-40

 Revision date: 7/5/2017
 Date of print: 8/15/2017

 Version: 12
 Language: en-US
 Page: 2 of 9

Precautionary statements: Keep only in original container.

Do not breathe mist/vapors/spray.

Wash hands and face thoroughly after handling. Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/or shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see First aid on this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up.

Store only in corrosive resistant containers.

Dispose of contents/container to hazardous or special waste collection point.

#### Regulatory status

This material is considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

#### Hazards not otherwise classified

Special danger of slipping by leaking/spilling product.

see section 11: Toxicological information

# 3. Composition / Information on ingredients

Chemical characterization: aqueous solution

Relevant ingredients:

CAS No.	Designation	Content	Classification
CAS 75-59-2	Tetramethylammonium hydroxide	< 2.5 %	Acute Toxicity - oral - Category 2. Acute Toxicity - dermal - Category 1. Skin Corrosion - Category 1B. Specific Target Organ Toxicity (Single Exposure) - Category 1. Specific Target Organ Toxicity (Repeated Exposure) - Category 1. Aquatic toxicity - chronic - Category 2.

### 4. First aid measures

General information: First aider: Pay attention to self-protection!

If medical advice is needed, have product container or label at hand. Take off

immediately all contaminated clothing.

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Immediately get medical attention.

Following skin contact: After contact with skin, wash immediately with polyethylene glycol, followed by plenty of

water. Cover with sterile dressing material to protect against infection. Immediately get

medical attention.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently

seek the immediate attention of an ophthalmologist.

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

# **Developer series AR 300-40**

Material number AR 300-40

 Revision date:
 7/5/2017

 Version:
 12

 Language:
 en-US

 Page:
 3 of 9

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person.

Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

#### Most important symptoms/effects, acute and delayed

May cause damage to organs. Harmful if swallowed.

Harmful in contact with skin. Causes severe skin burns and eye damage.

#### Information to physician

Treat symptomatically.

### 5. Fire fighting measures

Flash point/flash point range:

non-flammable

Auto-ignition temperature: No data available

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected

according to surroundings.

#### Specific hazards arising from the chemical

Fires in the immediate vicinity may cause the development of dangerous vapors. In case of fire may be liberated: nitrogen oxides (NOx), hydrogen chloride, carbon

monoxide and carbon dioxide.

Protective equipment and precautions for firefighters:

Use a breathing apparatus independent of the ambient air (isolated apparatus) and a full

protection outfit (suit) against chemicals.

Additional information: Cool exposed containers with water spray.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance

with the regulations of the local authorities.

### 6. Accidental release measures

Personal precautions: Avoid contact with the substance. Do not breathe mist/vapors/spray.

If possible, eliminate leakage. Ensure adequate ventilation, especially in confined areas. Wear appropriate protective equipment. Take off contaminated clothing and wash it

before reuse. Remove persons to safety. Keep unprotected people away.

Environmental precautions:

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

Methods for clean-up: Absorb spillage to prevent material damage.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal

binding agents) and place in closed containers for disposal.

Final cleaning. Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

# **Developer series AR 300-40**

Material number AR 300-40

 Revision date:
 7/5/2017

 Version:
 12

 Language:
 en-US

 Page:
 4 of 9

### 7. Handling and storage

#### Handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe

mist/vapors/spray. Avoid contact with skin, eyes, and clothing.

Wear appropriate protective equipment. Take off immediately all contaminated clothing

and wash it before reuse.

Wash hands before breaks and after work. When using do not eat, drink or smoke.

When handling large quantities, supply emergency spray.

Precautions against fire and explosion:

Usual measures for fire prevention.

#### **Storage**

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight. Store containers in upright position.

Unsuitable materials: Bronze, aluminium, tin, zinc.

Storage temperature: 50 °F up to 71.6 °F.

Only trained personnel may be allowed to enter storage area.

Do not allow containers to stand open. Handle and open container with care.

Hints on joint storage: Do not store together with: aluminium, tin, zinc, halogens, acids, oxidizing agents,

ammonium compounds.

Keep away from food, drink and animal feedingstuffs.

## 8. Exposure controls / personal protection

### **Engineering controls**

Provide for good ventilation or exhaust system or work with completely self-contained equipment. When aerosols or vapors form: Withdraw by suction.

See also information in chapter 7, section storage.

#### Personal protection equipment (PPE)

Eye/face protection Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI

Z87.1-2010.

Skin protection Wear suitable protective clothing.

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Glove material:

Polychloroprene 0.5 mm, nitrile rubber 0.35 mm, butyl caoutchouc (butyl rubber) 0.5 mm

Breakthrough time: > 480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough

time.

Respiratory protection: When aerosols or vapors form: Use appropriate respiratory protection.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

## **Developer series AR 300-40**

Material number AR 300-40

 Revision date:
 7/5/2017
 Date of print:
 8/15/2017

 Version:
 12
 Language: en-US
 Page:
 5 of 9

General hygiene considerations:

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

Do not breathe mist/vapors/spray. When handling large quantities, supply emergency spray.

When using do not eat, drink or smoke. Wash hands before breaks and after work.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance: Form: liquid

Color: colorless

Odor: weak amine odor
Odor threshold: No data available

pH value: at 68 °F: >= 11.5

Melting point/freezing point: No data available
Initial boiling point and boiling range: No data available
Flash point/flash point range: non-flammable
Evaporation rate: No data available

Flammability: This product is non-flammable.

Explosion limits:

Vapor pressure:

Vapor density:

No data available

at 68 °F: 23.33 hPa

No data available

Density: at 77 °F: approx. 1 g/mL

Water solubility:

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Thermal decomposition:

Additional information:

Additional information:

at 68 °F: soluble

No data available

No data available

## 10. Stability and reactivity

Reactivity: May be corrosive to metals.

Reactions with base metals under hydrogen development.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions

Violent reaction with strong oxidizing agents, acids.

Caution! With nitrosic agents (such as nitric salts or nitric oxides) under special

conditions may form nitrosamines.

Conditions to avoid: Keep away from heat sources, sparks and open flames.

Protect against direct sunlight.

Incompatible materials: Metals, halogens, strong oxidizing agents, acids, nitric oxide, ammonium compounds

Hazardous decomposition products:

No hazardous decomposition products when regulations for storage and handling are


observed.

Thermal decomposition: No data available

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

### **Developer series AR 300-40**

Material number AR 300-40



### 11. Toxicological information

### **Toxicological tests**

Toxicological effects: The statements are derived from the properties of the single components. No

toxicological data is available for the product as such.

Acute toxicity (oral): Acute Toxicity - oral - Category 4 = Harmful if swallowed.

ATEmix (calculated): 300 mg/kg < ATE <= 2000 mg/kg.

Acute toxicity (dermal): Acute Toxicity - dermal -

Category 4 = Harmful in contact with skin.

ATEmix (calculated): 1000 mg/kg < ATE <= 2000 mg/kg.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation, eye damage/irritation: Skin Corrosion - Category 1B = Causes severe skin burns and eye damage.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Lack of data. Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Specific Target Organ Toxicity (Single

Exposure) - Category 2 = May cause damage to organs.

Specific target organ toxicity (repeated exposure): Specific Target Organ Toxicity

(Repeated Exposure) -

Category 2 = May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard: Lack of data.

Other information: Information about Tetramethylammonium hydroxide:

LD50 Rat, oral: 7-50 mg/kg. LD50 Rat, dermal: 25 -50 mg/kg.

Systemic effects:

Nausea, vomiting, shortage of breath, unconsciousness, apnea, death.

With nitrosic agents (such as nitric salts or nitric oxides) under special conditions may

form nitrosamines. In animal experiments nitrosamines were carcinogenic.

#### **Symptoms**

In case of inhalation:

Mucous membrane irritation, cough, shortage of breath, damage of respiratory tract.

Pulmonary edema is possible. Symptoms may occur with delay.

In case of ingestion:

Nausea, vomiting, shortage of breath, unconsciousness, apnea

After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

# 12. Ecological information

#### **Ecotoxicity**

Aquatic toxicity: Forms corrosive mixtures with water even if diluted. Harmful effects on water organisms

by modification of pH-value.

#### Mobility in soil

No data available

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

# **Developer series AR 300-40**

Material number AR 300-40

 Revision date:
 7/5/2017

 Version:
 12

 Language: en-US
 Page:
 7 of 9



Further details: No data available

Additional ecological information

General information: Do not allow to enter into ground-water, surface water or drains.

# 13. Disposal considerations

**Product** 

Recommendation: Dispose of as special waste in compliance with local and national regulations.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may

be recycled. Handle contaminated packages in the same way as the substance itself.

# 14. Transport information

### **USA: Department of Transportation (DOT)**

Identification number: UN1835

Proper shipping name: UN 1835, TETRAMETHYLAMMONIUM HYDROXIDE

SOLUTION

Hazard class or Division: 8
Packing Group: || Labels: 8

Special provisions: B2, IB2, T7, TP2

Packaging – Exceptions: 154
Packaging – Non-bulk: 202
Packaging – Bulk: 242
Quantity limitations – Passenger aircraft / rail: 1 L
Quantity limitations – Cargo only: 30 L
Vessel stowage – Location: A
Vessel stowage – Other: 52



in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

### **Developer series AR 300-40**

Material number AR 300-40

Revision date: 7/5/2017 Date of print: 8/15/2017 Version: Language: en-US Page: 8 of 9

Sea transport (IMDG)

UN number: UN 1835

UN 1835, TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION Proper shipping name:

Class 8, Subrisk-Class or division, Subsidary risk:

Packing Group: Ш

F-A, S-B EmS:

Special provisions: 1 L Limited quantities: E2 Excepted quantities: Contaminated packaging - Instructions: P001 Contaminated packaging - Provisions: IBC02 IBC - Instructions: IBC - Provisions: Tank instructions - IMO:

T7 Tank instructions - UN: TP2 Tank instructions - Provisions:

Category A. Stowage and handling: **SG35** Segregation:

Properties and observations: Miscible with water. Reacts violently with acids.

Marine pollutant: no Segregation group: 2, 18

Air transport (IATA)

UN/ID number: UN 1835

UN 1835, TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION Proper shipping name:

Class or division, Subsidary risk: Class 8 Packing Group: Ш

Corrosive Hazard label:

Excepted Quantity Code: E2

Pack.Instr. Y840 - Max. Net Qty/Pkg. 0.5 L Passenger and Cargo Aircraft: Ltd.Qty.: Pack.Instr. 851 - Max. Net Qty/Pkg. 1 L Passenger and Cargo Aircraft: Cargo Aircraft only: Pack.Instr. 855 - Max. Net Qty/Pkg. 30 L

A3 A803 Special provisions:

Emergency Response Guide-Code (ERG): 8L

# 15. Regulatory information

#### National regulations - U.S. Federal Regulations

Tetramethylammonium hydroxide: TSCA Inventory: listed

TSCA HPVC: not listed

**National regulations - Great Britain** 

Hazchem-Code: 2X

### 16. Other information

Text for labeling: Contains < 2.5 % Tetramethylammonium hydroxide. Safety data sheet available on

request.

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

# **Developer series AR 300-40**

Material number AR 300-40

 Revision date:
 7/5/2017

 Version:
 12

 Language: en-US
 Page:
 9 of 9

Hazard rating systems: NFPA Hazard Rating:



Health: 3 (Serious)
Fire: 0 (Minimal)
Reactivity: 1 (Slight)
HMIS Version III Rating:

Health: 3 (Serious) - Chronic effects

Flammability: 0 (Minimal) Physical Hazard: 1 (Slight)

Personal Protection: X = Consult your supervisor Changes in section 3: information on ingredients

Reason of change: Changes in section 3: i
General revision

Date of first version: 8/25/2010

### Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.



